



- V.I.T. PS12 STABILIZER, SPACED AT 12 FT. O.C. ALONG LATERAL
- PVC SCH 40 1/2" PIPE, ON-GRADE
- PVC SCH 40 1/2" PIPE, ON-GRADE INSTALL PERPENDICULAR TO SLOPE FACE DOWN TO TREE, LENGTH AS REQUIRED
- TREE DRIP EMITTER ASSEMBLY TO INCLUDE PVC FITTINGS:

- QTY:
- 1
 - 2-4
 - 2
 - 2
 - 2
 - 2
 - 4-6
 - 6-10

- 1/2" SLIP TEE
- 1/2" SST TEE
- 1/2" ST 90 ELLS
- GPH RISERS ("A"), SEE BELOW
- GPH RISERS ("B"), SEE BELOW
- GPH RISERS ("C"), SEE BELOW
- GPH EMITTERS
- #3 X 9" REBAR J-HOOK
- GPH ECO FLEX RISER ASSEMBLY PART# GECO(X)
- #3 X 9" REBAR J-HOOK
- GPH PRESSURE COMPENSATING EMITTER, PART# GPST(X) SEE LEGEND FOR MODEL
- LARGE TREE ROOTBALL

COMPLETELY FLUSH CLEAN ALL PVC LATERAL LINES AND GECO RISERS BEFORE INSTALLATION OF EMITTERS.

48"/60" BOX TREES REQUIRE EMITTER MODEL GPST4, 4 GPH FLOW EMITTERS SHALL BE INSTALLED AT LOCATION OF TREE ROOTBALL AS SHOWN. ALL PVC COMPONENTS SHALL BE CONSTRUCTED AND INSTALLED PRIOR TO TREE LAYOUT AND PLANTING

TREE SIZE	24 IN. BOX	36 IN. BOX	48 IN. BOX	
NO. OF EMITTERS	4	6	6	
RISER "A" (1)	GECO8(2)	GECO12(2)	GECO12(2)	
RISER "B" (2+)	GECO18(2)	GECO24(2)	GECO36(2)	
ADAPTER "C" (2+)	-	GECO36(2)	GECO48(2)	

E TREE EMITTER LAYOUT-SLOPED
SCALE: N.T.S.